

RAMSES 813 top3 HF Set A

Item no.: 8139203



Climate control
Clock thermostats

Description

- Radio-controlled system for room temperature control
- Consisting of a RAMSES 813 top3 HF and a REC 11 receiver with an NO contact 16(2) A/250 V AC for wall installation
- Battery version (also for retrofitting with 2-wire connection)
- Installation of clock thermostat on flush-mounted box, wall installation, or with stand possible
- Operation on device or via app
- Direct Bluetooth Low Energy (BLE) connection between app and clock thermostat, no communication via the Internet
- Settings configured conveniently via the app with intuitive operation from a smartphone or tablet
- Increased user convenience
- 3 individually programmable weekly programs, as well as comfort, eco and setback function
- Suitable for energy-saving room temperature regulation in houses, apartments, etc.
- Illuminated display through keystroke
- Intelligent control algorithm (pulse-duration controller, hysteresis controller)
- Suitable for on/off heating systems, zonebased or single-room control, electric heating units



Technical data

RAMSES 813 top3 HF Set A	
Operating voltage	2 AA batteries
Type of contact	NO contact
Switching capacity	16 A at 250 V AC, $\cos \varphi = 1$, at 250 V AC, $\cos \varphi = 0.6$
Switching capacity min.	1 mA
Setting range temperature	2°C ... 30°C
Setting range frost protection	2°C ... 10°C
Time basis	Quartz
Program	Weekly program, Daily program, Holiday program, 3 basic programs
Radio receiver	Surface-mounted
Number of memory locations	42
Control types	Pulse width modulation, Hysteresis controller
Control period	5 - 30 min

RAMSES 813 top3 HF Set A	
Control capture range	$\pm 0.2 - \pm 5$ K
Control accuracy	$\leq \pm 0.2$ K
Mode of operation	Type 1 B as per EN 60730-1
Control types	2-point
Switching output	Potential-free, not for SELV
Suitable for SELV	Yes
Switching hysteresis	$\pm 0.2 - \pm 1$ K
Time accuracy at 25 °C	$\leq \pm 1$ s/day (quartz)
Power reserve	Max. 10 mins without losing time
Battery life	approx. 1 year, depending on switching frequency
Installation type	Wall installation (also on flush-mounted socket possible)

Subject to technical changes and misprints
additional information at: www.theben.de/product/8139203
The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

RAMSES 813 top3 HF Set A


Item no.: 8139203

theben


Technical data

RAMSES 813 top3 HF Set A	
Type of protection	IP 40
Protection class	II according to EN 60 730-1

Connection example



Scale drawings



Subject to technical changes and misprints

additional information at: www.theben.de/product/8139203

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

07/04/2025

Page 2 of 3

RAMSES 813 top3 HF Set A

Item no.: 8139203



Accessories


Temperature sensor

Item no.: 9070321



Temperature sensor RAMSES IP 65

Item no.: 9070459



Actuator ALPHA 5 230 V

Item no.: 9070441



Actuator ALPHA 5 24 V

Item no.: 9070442

